





EASY SETUP GUIDE

THIN 3 BAY CREDENZA






CREDENZA


Items included

- B** COLUMN



ADJUSTABLE EXTENSION
1 Left
1 Right

C WALL PLATE




D CENTRAL SUPPORT




E EXTENSION


- F**



CAMERA SHELF

G




TOP

H



SIDE TOP

I



DOOR
- J**



LEVELER 3/8"

K MOUNT KIT



L SCREW 5/16"x1 1/4"



O WASHER 5/16"


- P** WOOD SCREW #6 x 3/4"



Q M8X70 OUTSIDE THE HEXAGONAL



R M8X70 OUTSIDE THE HEXAGONAL




S CONCRET ANCHOR M8X50


- M** SCREW 1/4"x1/2"




STEP 1

PUT THE LEVELERS IN THE POSITION AS SHOWN



STEP 2


DISASSEMBLY THE RACK CABINETTS TO INSTALL THE WOODS



UNINSTALL THE RACK CABINETTS, REMOVING THE SCREWS TO THE FRAMES AS SHOWN


STEP 3

USING THE SCREWS (P) TO SECURE THE TOP (G) AND SIDES (H) TO THE CREDENZA




STEP 4

ATTACH THE RACK CABINETS IN THE POSITION AS SHOWN





STEP 5

INSTALL THE COLUMNS (B) WITH SCREWS (L) AND WASHER (O) AND WALL PLATES (C), USING SCREWS (L) AND WASHER (O)




STEP 6

ATTACH THE DOORS (I) ON THE PLATES LOCATED ON THE RACK CABINET WITH THE SCREWS (P) AS SHOWN




STEP 7

ATTACH THE MOUNT TO THE COLUMNS,
USING THE KIT (K)





STEP 8

ATTACH THE CREDENZA TO
THE WALL WITH THE ITEMS (Q,R,S)



STEP 9


SECURE THE SCREEN TO THE UPRIGHTS AND ATTACH TO THE MOUNT




ATTACH THE CENTRAL SUPPORT (D) TO THE MOUNT AND PLACE THE CAMERA SHELF (M) TO DESIRED HEIGHT

STEP 10

INSTALL THE DOORS (I) IN THE POSITION AS SHOWN, SECURE WITH THE SCREWS LOCATED ON THE PLATE



NOTE : THEN, SECURE THE DOORS DOWN WITH THE SCREWS (P)





EASY SETUP GUIDE

THIN 3 BAY CREDENZA

Customer Service

(800) 285-8315

Corporate

Address:

1151 Empire Central Drive
Dallas, TX 75247

Phone: (214) 905-9001

Facsimile: (214) 905-9666

Sales Contacts

Phone: (214) 905-9001 x107

Phone: (214) 905-9001 x155

